BUNKER HILL SUPERFUND SITE

INSTITUTIONAL CONTROLS PROGRAM

Taskforce Provisos:

- Institutional Controls must minimize inconvenience, cost and loss of land use options to local residents
- Institutional Controls must utilize, to maximum extent practicable, existing control mechanisms and local agencies
- Institutional Controls must be self-sustaining and impose no additional cost on local government, residents, or property owners

WHAT IS IT?

The Institutional Controls Program

Is a locally enforced set of regulations designed to ensure the integrity of clean soil and other protective barriers placed over contaminants left in place throughout the Bunker Hill Superfund Site.

PURPOSE

- Protect public health
- Assist with local land transactions within the Bunker Hill Superfund Site
 - Conduct Commerce

BLOOD LEAD

Box Lead Health Intervention Summary Statistics 1988-1994

		Number	Mean	Number of children			Percent
		children	Blood Pb	bloo	d leads (µ	ιg/dl)	Children
L	Year	in survey	(μ g/dl)	≥25	≥15	≥10	≥ 10
	1988*	230	9.9	7	35	105	46%
l	1989*	275	11.4	8	71	154	56%
l	1990	362	8.9	2	41	134	37%
l	1991	365	6.3	2	17	56	15%
ŀ	1992	415	7.4	3	31	110	27%
	1993	445	5.6	1	10	66	15%
	1994	416	6.2	1	15	71	17%
ш							

^{*}does not include Pinehurst

Box Lead Health Intervention Summary Statistics 1995-2002

	Number children	Mean Blood Pb	Number of children blood leads (μg/dl)			Percent Children
Year	in survey	(μ g/dl)	<u>≥</u> 25	≥15	<u>≥</u> 10	<u>></u> 10
1995	405	6.0	2	20	62	15%
1996	397	5.8	2	13	49	12 %
1997	337	5.4	0	6	36	11 %
1998	375	4.8	0	5	31	8%
1999	370	4.7	0	3	23	6%
2000	320	4.3	0	5	17	5%
2001	322	3.2	0 ,	4	10	3%
2002	368	3.1	0	3	7	2%

DISCLOSURE ASSISTANCE

Disclosure assistance is provided to:

- Federal Underwriters
- Lending Institutions
- Appraisers
- Prospective Purchasers

662 Disclosures were completed in 2005

All soil which contains lead in excess of 1000 ppm and lies within 12 inches of the final grade shall be:

- Removed and replaced
- Covered with an appropriate material or structure

OBJECTIVES

- To see that barriers are created and/or maintained
- Operate a system of activity controls and standards to keep remaining contaminants in place.

BARRIER:

Any physical structure, material, or mechanism that breaks the pathway between contaminants and human receptors.

- Buildings and parking lots
- Walls, floors, and ceilings
- Clean soil or gravel (<100 ppm lead)
- Asphalt and concrete
- Access control (fences, gates)

HOW IT WORKS

All excavation, grading, and certain interior remodeling projects proposed within the boundaries of the Superfund Site must have approved permit(s) from the Panhandle Health District (PHD) and other permit authorities that have jurisdiction over land use issues.

PERMITS ARE REQIURED FOR:

- Large Exterior Projects
 - Excavation (more than 1 cubic yard)
 - Building demolition
 - Subdivisions/Planned Unit Developments
- Interior Projects
 - Building renovations involving:
 - Removal of insulation
 - Ceiling removal that exposes attic dust
 - Work in dirt crawlspaces or basements

Rights-of-Way

(underground utilities, gas, water, poles, cable etc.)

PERMITTING

The PHD permit must be issued and valid before building permits from other participating entities are valid.

REDUNDANCY

- Call before you dig
- Other permitting authorities

CONTRACTOR LICENSING

All contractors involved in excavating, grading, construction, and certain interior remodeling projects within the Site must be licensed by PHD.

PUBLIC UTILITIES & GOVERNMENT ENTITIES

- Workers need to be licensed
- Maintain daily work logs

INSPECTIONS

48 hour notice, excluding weekends and holidays, is required.

Barrier Option Plan (BOP)

All projects that require engineered plans such as:

- New Subdivisions
- Planned Unit Developments (PUD) must have a BOP prepared by a licensed engineer.

- Record of Compliance (Optional)
 - Small (less than 1 cubic yard) Exterior Projects (fencing, planting bushes, deck footers, etc.)

Upon request, the homeowner will be given a Record of Compliance that will be entered into PHD's tracking database.

HOMEOWNER SMALL PROJECTS





FEES

There are <u>no fees</u> associated with contractor licensing, or work permits issued by PHD.

DISPOSAL

Soils with lead levels greater than 350 ppm lead may be disposed of at PHD's disposal site at PHD's discretion.

DISPOSAL PRACTICES



VIOLATIONS:

- Guilty of a misdemeanor
- Fined \$300/day for each day out of compliance and/or
- Six months of imprisonment in the county jail

IN ADDITION:

Any person, association, or corporation, or the officer thereof found to be in violation of these rules shall be liable for any expenses incurred by the PHD in enforcing this act, or in removing or terminating any nuisance or health hazard.

DATABASE

The Institutional Controls Program maintains a database, tracking system to assist the public, lenders, and prospective purchasers of property within the Site.

INCLUDING:

- Sampling data
- Remediation plot plans
- ICP permits issued
- Other barrier related information

BEST MANAGEMENT PRACTICES







BEST MANAGEMENT PRACTICES





ATWORKIN THE COMMUNITY





SILVER MOUNTAIN GONDOLA





MORNING
STAR
LODGE






SUPER 8 MOTEL

AFTER





McDONALD'S





SUNNYSIDE ELEMENTARY SCHOOL



SHOSHONE MEDICAL CENTER

DURING CONSTRUCTION



SHOSHONE MEDICAL CENTER



WE ARE DIFFERENT

1989 YARD LEAD CONCENTRATIONS



0 - 349.9 mg/kg

350 - 499.9 mg/kg 500 - 999.9 mg/kg 1,000 - 2499.9 mg/kg 2500 - 4999.9 mg/kg 5,000 and greater mg/kg



PROJECT NO.


REQUESTOR S. Spalinger
DESIGNER B. Bailey
CARTOGRAPHER B. Bailey
APPROVED

Figure 1

1989 Yard Lead Concentration Zones for Smelterville, Idaho

Data based on geometric means of soil lead concentrations. Soil samples taken within a 200 foot vicinity of properties.

2002 YARD LEAD CONCENTRATIONS






FILE 1998-10-10LRRG/Smelterville/G2002		REQUESTOR	S. Spalinger		
DATE		DESIGNER	B. Bailey		
DAIL	August 2003	CARTOGRAPHER	B. Bailey		
PROJEC	CT No.	APPROVED			

2002 Yard Lead Concentration Zones for Smelterville, Idaho

Data based on geometric means of soil lead concentrations. Soil samples taken within a 200 foot vicinity of properties.

LEAD CONCENTRATIONS BELOW THE BARRIER



ISSUES AND CONCERNS



FLOODING









INFRASTRUCTURE









INFRASTRUCTURE





DISPOSAL

Critical to the successful operation of this, or any Institutional Controls Program is a fully funded, centrally located soil depository.

It must be:

- Easily accessible
- Convenient to use
- ICP controlled

Jerry Cobb Panhandle Health District 114 W Riverside Ave Kellogg, Idaho 83837 (208) 783-0707 jcobb@phd1.state.id.us

THANK YOU